# JOURNAL OF CHROMATOGRAPHY A

VOL. 772, NOS. 1 + 2 6 JUNE 1997

## CONTENTS


*(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Awareness in Biological Sciences (CABS), Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal, Research Alert and Science Citation Index)*


10TH INTERNATIONAL SYMPOSIUM ON CAPILLARY ELECTROPHORESIS AND ISOTACHOPHORESIS, PRAGUE, 17–20 SEPTEMBER 1996


Preface
by B. Gaš, P. Boček and Z. Deyl (Prague and Brno, Czech Republic) . . . . . 1

THEORY AND PRACTICE OF ISOTACHOPHORESIS AND CAPILLARY ELECTROPHORESIS

Bidirectional isotachophoresis in open-tubular, untreated fused-silica capillaries
by J. Caslavska and W. Thormann (Bern, Switzerland) . . . . . 3

Fingerprint of anions involving $pK_a$, mobility and concentration established by using capillary isotachophoresis
by M. Wroński (Łódź, Poland) . . . . . 19

Optimization of resolution in micellar electrokinetic chromatography via computer-aided variation of concentrations of sodium dodecyl sulfate and acetonitrile as modifier
by U. Bütehorn and U. Pyell (Marburg, Germany) . . . . . 27

Exactly solvable Ogston model of gel electrophoresis. III. Percolation and sieving through two-dimensional gels
by G.W. Slater and J.R. Treurniet (Ottawa, Canada) . . . . . 39

Transient modelling of capillary electrophoresis. Isotachophoresis
by J.H.P.A. Martens, J.C. Reijenga, J.H.M. ten Thije Boonkkamp, R.M.M. Mattheij and F.M. Everaerts (Eindhoven, The Netherlands) . . . . . 49

Prediction of zone patterns in capillary zone electrophoresis with conductivity detection. Concept of the zone conductivity diagram
by P. Gebauer (Brno, Czech Republic), J. Caslavska and W. Thormann (Bern, Switzerland) and P. Boček (Brno, Czech Republic) . . . . . 63

System peaks in capillary zone electrophoresis. I. Simple model of vacancy electrophoresis
by P. Gebauer and P. Boček (Brno, Czech Republic) . . . . . 73

System peaks in capillary zone electrophoresis. II. Experimental study of vacancy peaks
by C. Desiderio and S. Fanali (Rome, Italy) and P. Gebauer and P. Boček (Brno, Czech Republic) . . . . . 81

Determination of the thermodynamic equilibrium constants of water-insoluble (sparingly soluble) compounds by capillary electrophoresis
by S. Bellini (Verona, Italy), M. Uhrová and Z. Deyl (Prague, Czech Republic) . . . . . 91

Capillary zone electrophoresis in a hydrodynamically closed separation system with enhanced sample loadability
by D. Kaniansky, J. Marák, M. Masár, F. Iványi, V. Madajová, E. Šimuničová and V. Zelenská (Bratislava, Slovak Republic) . 103

Electroinjection analysis. Concept, mathematical model and applications
by V.P. Andreev, N.B. Ilyina, E.V. Lebedeva, A.G. Kamenev and N.S. Popov (St. Petersburg, Russia) . . . . . 115

Polyacrylamide gradient gel-filled capillaries with low detection background
by Y. Chen and F.-L. Wang (Beijing, China) and U. Schwarz (Tübingen, Germany) . . . . . 129

Evaluation of pH gradient formation of carrier ampholytes with synthesized isoelectric point markers in capillary isoelectric focusing
by H. Kobayashi, M. Aoki, M. Suzuki and A. Yanagisawa (Sakado-shi, Japan) and E. Arai (Shibuya-ku, Japan) . . . . . 137

Strategies to improve performance of capillary isoelectric focusing
by R. Rodriguez-Diaz, M. Zhu and T. Wehr (Hercules, CA, USA) . . . . . 145

Effect of on-capillary large volume sample stacking on limits of detection in the capillary zone electrophoretic determination of selected drugs, dyes and metal chelates
by W.F. Smyth, G.B. Harland and S. McClean (Coleraine, UK), G. McGrath (Wantage, UK) and D. Oxspring (Coleraine, UK) 161

Modified electroosmotic flow by cationic surfactant additives in capillary electrophoresis. Evaluation of electrolyte systems for anion analysis
by M.F.M. Tavares, R. Colombara and S. Massaro (São Paulo, Brazil) . . . . . 171

SEPARATION OF OPTICAL ISOMERS

Reversed determination of the formation constants of 1-allyl terguride with mandelic acid optical isomers using capillary electrophoresis
by B.A. Ingelse, J.C. Reijenga and F. M. Everaerts (Eindhoven, Netherlands) . . . . . 179

Enantiomeric resolution study by capillary electrophoresis. Selection of the appropriate chiral selector
by S. Fanali, C. Desiderio and Z. Aturki (Roma, Italy) . . . . . 185

Training software for chiral separations in capillary electrophoresis
by J.C. Reijenga, B.A. Ingelse and F.M. Everaerts (Eindhoven, The Netherlands) . . . . . 195

PEPTIDES AND PROTEINS

Capillary electrophoresis of peptides in isoelectric buffers
by P.G. Righetti and F. Nembri (Verona, Italy) . . . . . 203

Capillary electrophoresis of large cyanogen bromide peptides of fibre-forming collagens with special reference to cross-linking
by I. Mikšík, J. Novotná, M. Uhrová, D. Jelínková and Z. Deyl (Prague, Czech Republic) . . . . . 213

Capillary zone electrophoresis with external radial electric field control of electroosmotic flow and its application to the separation of synthetic oligopeptides
by V. Kašička, Z. Prusík, P. Sázelová, T. Barth, E. Brynda and L. Machová (Prague, Czech Republic) . . . . . 221

Assessment of heat-induced denaturation of whey proteins (Short communication)
by L. Čurda, L. Belháčová, M. Uhrová, J. Štětina and L. Fukal (Praha, Czech Republic) . . . . . 231

Characterisation of human serum albumin heterogeneity by capillary zone electrophoresis and electrospray ionization mass spectrometry
by M. Girard, H.P. Bietlot and T.D. Cyr (Ottawa, Canada) . . . . . 235

NUCLEIC ACIDS AND THEIR CONSTITUENTS

Electromigration behaviour of DNA molecules at the free electrolyte–polymer solution interface
by K. Klepárník, Z. Malá and P. Boček (Brno, Czech Republic) . . . . . 243

Comparison of resolution of double-stranded and single-stranded DNA in capillary electrophoresis
by M.J. van der Schans (Eindhoven, Netherlands), A.W.H.M. Kuypers (Nijmegen, Netherlands), A.D. Kloosterman and H.J.T. Janssen (Rijswijk, Netherlands) and F.M. Everaerts (Eindhoven, Netherlands) . . . . . 255

DRUGS

Validation of a capillary electrophoresis procedure for the determination of calcium in calcium acamprosate
by H. Fabre, M.D. Blanchin, E. Julien, C. Segonds and B. Mandrou (Montpellier, France) and N. Bosc (Lyon, France) . . . . 265

Direct determination of procainamide and N-acetylprocainamide by capillary zone electrophoresis in pharmaceutical formulations and urine
by G. Vargas, J. Havel and E. Hadašová (Brno, Czech Republic) . . . . . 271

Separation and determination of pharmaceutically important polyols in dosage forms by capillary isotachophoresis
by M. Pospíšilová, M. Polášek and J. Procházka (Hradec, Czech Republic) . . . . . 277

BIOMEDICAL APPLICATIONS

On-line isotachophoresis–capillary zone electrophoresis versus sample self stacking capillary zone electrophoresis. Analysis of hippurate in serum
by L. Křivánková, A. Vraná, P. Gebauer and P. Boček (Brno, Czech Republic) . . . . . 283

Microemulsion electrokinetic chromatography of diphenylhydrazones of dicarbonyl sugars
by I. Mikšík, J. Gabriel and Z. Deyl (Prague, Czech Republic) . . . . . 297

Identification of $\alpha_1$-acid glycoprotein (orosomucoid) in human synovial fluid by capillary electrophoresis
by A. Rice, J. Grimshaw, J. Trocha-Grimshaw, P. McCarron and G.B. Wisdom (Belfast, UK) . . . . . 305

Determination of ascorbic acid in vegetables by capillary zone electrophoresis
by K. Fukushi (Kobe, Japan), S. Takeda, S.-i. Wakida, M. Yamane and K. Higashi (Osaka, Japan) and K. Hiiro (Kobe, Japan) . 313

In vitro glucuronidation of 7-hydroxycoumarin and determination of 7-hydroxycoumarin and 7-hydroxycoumarin glucuronide by capillary electrophoresis
by D.P. Bogan, C.F. Duffy and R. O'Kennedy (Dublin, Ireland) . . . . . 321

OTHER APPLICATIONS

Determination of nitrophenols by capillary zone electrophoresis in a hydrodynamically closed separation compartment
by D. Kaniansky, E. Krčmová, V. Madajová, M. Masár and J. Marák (Bratislava, Slovak Republic) and F.I. Onuska (Burlington, Canada) . . . . . 327

Influence of cationic polymers on separation selectivity in kinetic differentiation mode capillary electrophoresis of metal–4-(2-pyridylazo)resorcinolato chelates
by O.V. Krokhin (Moscow, Russia), H. Hoshino (Sendai, Japan), O.A. Shpigun (Moscow, Russia) and T. Yotsuyanagi (Sendai, Japan) . . . . . 339

Determination of platinum, palladium, osmium, iridium, rhodium and gold as chloro complexes by capillary zone electrophoresis
by A.V. Pirogov and J. Havel (Brno, Czech Republic) . . . . . 347

Simultaneous separation of yttrium and lanthanide ions by isotachophoresis
by T. Hirokawa and Y. Hashimoto (Higashi-hiroshima, Japan) . . . . . 357

Electrophoretic behaviour of fully sulfonated polystyrenes in capillaries filled with entangled polymer solutions
by H. Cottet and P. Gareil (Paris, France) . . . . . 369

Effects of the working electrolyte (cyclodextrin type and pH) on the separation of aromatic sulphonic acids by capillary zone electrophoresis
by J. Fischer, P. Jandera and V. Staněk (Pardubice, Czech Republic) . . . . . 385

Capillary zone electrophoresis of hydroxynaphthalenecarboxylic acids. Purity monitoring of β-hydroxynaphthoic acid in industry
by A.L. Revilla, J. Havel, J. Borovcová and M. Vrchlabský (Brno, Czech Republic) . . . . . 397

AUTHOR INDEX VOL. 772 . . . . . 403

The table of contents of *Journal of Chromatography* is included in ESTOC – Elsevier Science Tables of Contents service – which can be accessed on the World Wide Web at the following URL addresses:
http://www.elsevier.nl/locate/estoc or http://www.elsevier.com/locate/estoc